

| FILE: 1.26 316 HEX BOLTS | | 316 STAINLESS STEEL UNC FINISHED HEX BOLTS TO ASTM F593 | | | | | | | | PAGE 1 OF 3 |
|--|--------|--|--------|---------|--------|---------|--------|--------|-------|-------------|
| Part thread -standard lengths noted as "P", sizes supplied standard as full thread noted as "F", longer than normal threads noted as T (Length). | | | | | | | | | | |
| Not seeing what you need ? - check full thread 316 listings, or call for assistance | | | | | | | | | | |
| SIZES OVER 1" - SCROLL DOWN TO PAGE 3 | | | | | | | | | | |
| Thread → | 1/4-20 | 5/16-18 | 3/8-16 | 7/16-14 | 1/2-13 | 9/16-12 | 5/8-11 | 3/4-10 | 7/8-9 | 1-8 |
| Length ↓ | | | | | | | | | | |
| 3/8 | F | | | | | | | | | |
| 1/2 | F | F | F | | F | | | | | |
| 5/8 | F | | F | | F | | | | | |
| 3/4 | F | F | F | F | F | F | | | | |
| 7/8 | F | F | F | | | | | | | |
| 1 | F | F | F | F | F | F | F | F | | |
| 1 1/8 | F | F | F | | | | F | | | |
| 1 1/4 | P | F | F | F | F | F | F | F | | |
| 1 3/8 | P | F | P | | | | | | | |
| 1 1/2 | P | P | P | F | F | F | F | F | F | F |
| 1 3/4 | P | P | P | P | F | F | F | F | F | F |
| 2 | P | P | P | P | P | F | F | F | F | F |
| 2 1/4 | P | P | P | P | P | P | P | F | F | F |
| 2 1/2 | P | P | P | P | P | P | P | F | F | F |
| 2 3/4 | P | P | P | P | P | | P | P | F | F |
| 3 | P | P | P | P | P | P | P | P | P | F |
| 3 1/4 | P | P | P | P | P | | P | P | P | P |
| 3 1/2 | P | P | P | P | P | P | P | P | P | P |
| 3 3/4 | P | P | P | | P | | P | P | P | P |
| 4 | P | P | P | P | P | P | P | P | P | P |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| 316 STAINLESS STEEL UNC FINISHED HEX BOLTS TO ASTM F593 | | | | | | | | | | PAGE 2 OF 3 |
|--|--------|---------|--------|---------|--------|---------|--------|--------|-------|--------------------|
| SIZES OVER 1" - SCROLL DOWN TO PAGE 3 | | | | | | | | | | |
| Thread → | 1/4-20 | 5/16-18 | 3/8-16 | 7/16-14 | 1/2-13 | 9/16-12 | 5/8-11 | 3/4-10 | 7/8-9 | 1-8 |
| Length ↓ | | | | | | | | | | |
| 4 1/4 | P | P | P | | P | | P | P | P | P |
| 4 1/2 | P | P | P | P | P | P | P | P | P | P |
| 4 3/4 | | | P | | P | | P | P | P | P |
| 5 | P | P | P | P | P | P | P | P | P | P |
| 5 1/4 | | | | | | | P | P | | |
| 5 1/2 | P | P | P | P | P | | P | P | P | P |
| 6 | P | | P | P | P | P | P | P | P | P |
| 6 1/2 | | | P | | P | | P | P | P | P |
| 7 | | | P | P | P | | P | P | P | P |
| 7 1/2 | | | P | | P | | P | P | P | P |
| 8 | | | P | P | P | | P | P | P | P |
| 8 1/2 | | | P | | P | | P | P | P | P |
| Thread → | 1/4-20 | 5/16-18 | 3/8-16 | 7/16-14 | 1/2-13 | 9/16-12 | 5/8-11 | 3/4-10 | 7/8-9 | 1-8 |
| Length ↓ | | | | | | | | | | |
| 9 | | | P | | P | | P | P | P | P |
| 9 1/2 | | | P | | P | | P | P | P | P |
| 10 | T8 | T8 | P | | P | T5 | P | P | P | P |
| 10 1/2 | | | | | | | | | | |
| 11 | | | P | | P | | P | | | |
| 12 | T8 | T10 | P | T8 | P | | P | T8 | | |
| 14 | | | | | | | | | T10 | |
| 16 | | | | | | | | | T12 | T12 |
| 20 | | | | | | | | T16 | T12 | |
| SCROLL DOWN FOR THREAD SIZES ABOVE 1" | | | | | | | | | | |

| 316 STAINLESS STEEL UNC FINISHED HEX BOLTS TO ASTM F593 | | | | | | | PAGE 3 OF 3 |
|---|---------|---------|---------|---------|---------|---------|-------------|
| FOR THREAD SIZES ABOVE 1" | | | | | | | |
| NOT SEEING WHAT YOU NEED, SEE 316 FULL THREAD HEX BOLT SELECTION | | | | | | | |
| Thread → | 1 1/8-7 | 1 1/4-7 | 1 3/8-6 | 1 1/2-6 | 1 3/4-5 | 2-4 1/2 | |
| Length ↓ | | | | | | | |
| 2 | | F | | F | | | |
| 2 1/4 | | F | | F | | | |
| 2 1/2 | | | | F | | | |
| 2 3/4 | | | | F | | | |
| 3 | | | F | | | | |
| 3 1/2 | P | | | | | | |
| 4 | | | | | | | |
| 4 1/2 | | P | | | | | |
| 4 3/4 | | | | | | | |
| 5 | | | | | F | | |
| 5 1/4 | | P | | | | | |
| 5 1/2 | | P | | | | | |
| 6 | | T5 | | | | | |
| 7 1/2 | | | | | | | |
| 8 | | | | | | | |
| 9 | | T8 | | | | | |
| Thread → | 1 1/8-7 | 1 1/4-7 | 1 3/8-6 | 1 1/2-6 | 1 3/4-5 | 2-4 1/2 | |
| Length ↓ | | | | | | | |
| 9 1/2 | | | | | | | |
| 10 | P T8 | | | | | | |
| 12 | T11 | | | | | | |
| 16 | T12 | | | | | | |